



The photograph may not match the reference exactly. Please read the product description to identify the finish.




TECHNICAL CHARACTERISTICS

Type:	Wall fixture
IP Protection degrees:	IP54
IK Protection degrees:	IK08
Light source 1:	1 x E27 MAX 23W Maximum lamp length: 200.00 mm Maximum lamp diameter: 52.00 mm
Total power consumption (W):	23
Voltage / Frequency:	230V/50-60Hz
Warranty (Years):	2
Units per box:	6
Net Weight (Kg):	0.535
EAN:	8435111074947




MATERIALS / FINISHES

Structure material:	ABS Polycarbonate	Diffuser material:	Polycarbonate
Structure finish:	Grey	Diffuser finish:	Matt



Download photometric file .ldt / .ies




Click on image to download energy label

Luminaire		Measur.		Lamp		
Code	05-9409	Code	05-9409	Code	PLEC23	
Name	Aplique Galilei 1x23W	Name	Aplique Galilei 1x23W	Number	1	
Line	Eulumdat	Date	27-12-2010	Position		
Efficiency	47.89%	Coordinate system	CG	Total Flux	1500.00 lm	
Maximum value	183.18 cd	Position	C=90.00 G=65.00	Double Symmetrical		
Rectangular Luminaire	Length	300 mm	Width	140 mm	Height	100 mm
Rectangular Luminous Area	Length	300 mm	Width	140 mm	Height	1 mm
Horizontal Luminous Area	0.042000 m2	Emitting area on Plane 180°		0.000300 m2		
Emitting area on Plane 0°	0.000300 m2	Emitting area on Plane 270°		0.000140 m2		
Emitting area on Plane 90°	0.000140 m2	Glare area at 76°		0.010452 m2		
Symmetry Type	Double Symmetrical	Maximum Gamma Angle		180		
Measurement Distance	0.00	Measurement Flux		1500.00 lm		
Operator	Asselum	Source voltage				
Temperature	25.00 °C	Source current				
Humidity	60.00 %	Photocell				
Notes						

Luminaire Lamps					
Line	Code	Name	Flux [lm]	Pow. [W]	Q.ty
Eulumdat	PLEC23	PLEC23 - 23.00 W	1500.00	23.00	1
C.I.E.	10 37 70 67 48	D DIN 5040		B11	
F UTE	--	B NBN		BZ 10	

300mm x 140mm



C Halfplanes


180.0 — 0.0 (Red line)




270.0 — 90.0 (Blue line)

ULOR 15.65 %

DLOR 32.24 %

RN 32.69 %





PLANTILLA DE INSTALACIÓN
INSTALLATION TEMPLATE



LED S-C4

OUTDOOR

05-9409

