
Wall Lights | 220-240 V | 1xR7s 6935







Technical data		
Installation position	Wall lights	
Installation environment	Indoor	
Power	1 x 120 W	
Lamp cap	1 x R7s	
Frequency	50-60 Hz	
Optic	Diffused	
Light emission direction	downward and	
Safety class	1	
IP	IP20	
Glow wire test	850°	
Direct mounting on normally flammable surfaces	Yes	
CE	Yes	
ETL	No	
Emergency mode	No	
Directional	No	
Tilting	No	
Walk-over	No	
Drive-over	No	
Cable included	No	
Resin potting	No	

Finishing casing			
Material	Aluminium		
Colour	grey RAL 9006		
Processing	Coating		

Finishing diffuser		
Material	Glass	
Processing	Sandblasting	

0

Double emission wall lights for indoor application. Halogen lamp included 120W, lamp cap 1xR7s.

The device body is made of aluminium and features a grey ral 9006 finish, processed by means of coating; the diffuser is made of glass with a sandblasting treatment. The ingress protection degree is IP20; the total weight is of 0.700 kg.

The device features protection class I and can be wall lights-mounted.

Illuminotechnical Features		
Luminous flux (source)	2250 lm	
Colour temperature	2950 K	
Colour rendering index	100 Ra	

Heli_W | Wall Lights | Accessories 6935

