


# Oh! Mars E27



Floor Lamp | 220-240 V | 1xE27  
16132



Ø 550

Technical data	
Type	Floor Lamp
Installation position	Floor
Installation environment	Outdoor
Lamp cap	1 x E27 Max 46W
Frequency	50-60 Hz
Optics	General Lighting
Light emission direction	upward
Safety class	2
IP	IP65
IK	IK06
Glow wire test	850°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
Dimmable article	No
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	Yes
Cable length	5 m
Electric socket	Type F
Resin potting	No
Net weight	4.200 Kg

Finishing diffuser	
Material	PE
Colour	Wood

Finishing mounting frame	
Material	PC
Colour	white



Floor Lamp | 220-240 V | 1xE27  
**16132**

Double emission floor lamp for outdoor application. Compatibility: LED lamp, halogen 46 W, compact fluo 30 W; lamp cap 1xE27.

The diffuser is made of pe; the mounting frame is made of PC, with a white finish. The ingress protection degree is IP65; the total weight is of 4.200 kg.


. The power supply cable is included and features a 5 m lenght.

The device features protection class II and can be floor-mounted with an outer casing, code 14930(for concrete or masonry).

Compliant with the EN 60598-1 standard and its specific provisions.


#### **Illuminotechnical Features**

Source lumens	700 lm
Colour temperature	2800 K
Colour rendering index	100 Ra
Junction temperature (lighting fixture)	80
Standard Operating Ambient Temperature	25




Outer casing - outer casing for installation on ground or on concrete

**Code**  
14930




Pegs  
installation position: land,Cover material: pc

**Code**  
14931



anti-theft - anti-theft ground fixing bracket

**Code**  
14081



Tie rods

**Code**  
53890



Connector

**Code**  
14992