Oh! Mars E27




Floor Lamp | 220-240 V | 1xE27 16133



Technical data		
Туре	Floor Lamp	
Installation position	Floor	
Installation environment	Outdoor	
Lamp cap	1 x E27 Max 57W	
Frequency	50-60 Hz	
Optics	General Lighting	
Light emission direction	upward	
Safety class	2	
IP	IP65	
IK	IK06	
Glow wire test	850°	
Direct mounting on normally flammable surfaces	Yes	
CE	Yes	
Dimmable article	No	
Directional	No	
Tilting	No	
Walk-over	No	
Drive-over	No	
Cable included	No	
Resin potting	No	
Net weight	7.200 Kg	





Finishing diffuser					
Material	PE				
Colour	Wood	Wood			
Finishing mounting frame					
Material	PC				
Colour	white				

Oh! Mars E27



Floor Lamp | 220-240 V | 1xE27 16133

Double emission floor lamp for outdoor application. Compatibility: LED lamp, halogen 57 W, compact fluo 30 W; lamp cap 1xE27.

The diffuser is made of pe; the mounting frame is made of PC, with a white finish. The ingress protection degree is IP65; the total weight is of 7.200 kg.

The device features protection class II and can be floor-mounted with an outer casing, code 14930(for concrete or masonry).

Compliant with the EN 60598-1 standard and its specific provisions.

Illuminotechnical Features				
Source lumens	915 lm			
Colour temperature	2800 K			
Colour rendering index	100 Ra			
Junction temperature (lighting fixture)	80			
Standard Operating Ambient Temperature	25			

Oh! Mars E27



Oh! Mars E27 | Floor Lamp | Accessories 16133

	22	Outer casing - outer casing for installation on ground or on concrete	Code <u>14930</u>
	50 Jan 2013	Pegs - peg for ground mounting	Code 14937
1111	0 36	anti-theft - anti-theft ground fixing bracket	Code 14082
	270	Tie rods	Code 53890
1 10 2 .		Connector	Code 14992