Oh!_FL65 E27



Floor Lamp | 220-240 V | 1xE27 16160



Technical data		
Туре	Floor Lamp	
Installation position	Floor	
Installation environment	Outdoor	
Lamp cap	1 x E27 Max 46W	
Frequency	50-60 Hz	
Optics	General Lighting	
Light emission direction	upward	
Safety class	2	
IP	IP65	
IK	IK10	
Glow wire test	850°	
Direct mounting on normally flammable surfaces	Yes	
CE	Yes	
Dimmable article	No	
Directional	No	
Tilting	No	
Walk-over	No	
Drive-over	No	
Cable included	Yes	
Cable length	5 m	
Electric socket	Type F	
Resin potting	No	
Net weight	2.000 Kg	
·		





Finishing diffu	user	
Material	PE	
Colour	neutral	
Finishing mou	inting frame	
Material	PC	

Oh!_FL65 E27



Floor Lamp | 220-240 V | 1xE27 16160

Single emission floor lamp for outdoor application. Compatibility: LED lamp, compact fluo 20 W, halogen 46 W; lamp cap 1xE27.

The diffuser is made of pe; the mounting frame is made of PC, with a white finish. The ingress protection degree is IP65; the total weight is of 2.000 kg.

. The power supply cable is included and features a 5 m lenght.

The device features protection class II and can be floor-mounted with an outer casing, code 14930(for concrete or masonry).

Compliant with the EN 60598-1 standard and its specific provisions.

Illuminotechnical Features			
Source lumens	700 lm		
Colour rendering index	100 Ra		
Junction temperature (lighting fixture)	80		
Standard Operating Ambient Temperature	25		

Oh!_FL65 E27



Oh!_FL65 E27 | Floor Lamp | Accessories **16160**

	22	Outer casing - outer casing for installation on ground or on concrete	Code 14930
111	30 V	Pegs installation position: land,Cover material: pc	Code 14931
	0 30	anti-theft - anti-theft ground fixing bracket	Code 14080
	270	Tie rods	Code 53890
		Connector	Code 14992