Oh!_FL65 E27




Floor Lamp | 220-240 V | 1xE27 16164



Technical data	
Туре	Floor Lamp
Installation position	Floor
Installation environment	Outdoor
Lamp cap	1 x E27 Max 57W
Frequency	50-60 Hz
Optics	General Lighting
Light emission direction	upward
Safety class	2
IP	IP65
IK	IK10
Glow wire test	850°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
Dimmable article	No
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	Yes
Cable length	5 m
Electric socket	Type F
Resin potting	No
Net weight	7.200 Kg





Finishing diffuser				
Material	PE			
Colour	neutral			
Finishing mounting frame				
Material	PC			
Colour	white			

Oh!_FL65 E27



Floor Lamp | 220-240 V | 1xE27 16164

Single emission floor lamp for outdoor application. Compatibility: LED lamp, halogen 57 W, compact fluo 30 W; lamp cap 1xE27.

The diffuser is made of pe; the mounting frame is made of PC, with a white finish. The ingress protection degree is IP65; the total weight is of 7.200 kg.

. The power supply cable is included and features a 5 m lenght.

The device features protection class II and can be floor-mounted with an outer casing, code 14930(for concrete or masonry).

Compliant with the EN 60598-1 standard and its specific provisions.

Illuminotechnical Features	
Source lumens	915 lm
Colour rendering index	100 Ra
Junction temperature (lighting fixture)	80
Standard Operating Ambient Temperature	25

Oh!_FL65 E27



Oh!_FL65 E27 | Floor Lamp | Accessories 16164

	22	Outer casing - outer casing for installation on ground or on concrete	Code 14930
	50 O 13	Pegs - peg for ground mounting	Code 14937
11118000	0 36	anti-theft - anti-theft ground fixing bracket	Code 14082
0-3-3-0	270	Tie rods	Code 53890
		Connector	Code 14992