Net weight




Pendant Luminaires | 220-240 V | 2xE27 6991



| Technical data | |
|--|---------------------|
| Туре | Surface |
| Installation position | Ceiling |
| Installation environment | Indoor |
| Lamp cap | 2 x E27 Max 57W |
| Frequency | 50-60 Hz |
| Optics | General Lighting |
| Light emission direction | downward and upward |
| Safety class | 1 |
| IP | IP20 |
| Glow wire test | 850° |
| Direct mounting on normally flammable surfaces | Yes |
| CE | Yes |
| Dimmable article | No |
| Directional | No |
| Tilting | No |
| Walk-over | No |
| Drive-over | No |
| Cable included | Yes |
| Cable length | 2.3 m |
| Resin potting | No |
| | |





| Finishing casing | | |
|------------------|-------------------------|--|
| Material | Iron | |
| Colour | Embossed white RAL 9003 | |
| Processing | Coating | |

| Finishing diffuser | | |
|--------------------|--------------|--|
| Material | Glass | |
| Colour | white | |
| Processing | Sandblasting | |

| Finishing mounting frame | | |
|--------------------------|-------------------------|--|
| Material | Iron | |
| Colour | Embossed white RAL 9003 | |
| Processing | Coating | |
| Fiocessing | Coaling | |

5.070 Kg

Zig Zag_P



Pendant Luminaires | 220-240 V | 2xE27 **6991**

Double emission pendant luminaires for indoor application. Compatibility: LED lamp, compact fluo 20 W, halogen 57 W; lamp cap 2xE27.

The device body is made of iron and features a embossed white ral 9003 finish, processed by means of coating; the diffuser is made of glass with a sandblasting treatment; the mounting frame is made of iron, with a embossed white ral 9003 finish, processed by means of coating. The ingress protection degree is IP20; the total weight is of 5.070 kg.

. The power supply cable is included and features a 2.3 m lenght.

The device features protection class I and can be ceiling-mounted.

Compliant with the EN 60598-1 standard and its specific provisions.

| Illuminotechnical Features | | |
|----------------------------|---------|--|
| Source lumens | 1830 lm | |
| Colour temperature | 2500 K | |
| Colour rendering index | 100 Ra | |